



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Other means of identification:

UFI: SC60-K0MG-K005-SXUX

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Piazza BV
Vlimmersebaan 136 Unit 6
2275 Wechelderzande - Belgium
Phone: +32 3 366 25 45
sales@piazza.be
www.piazza.be

1.4 Emergency telephone number: +32 3 366 25 45 mo-fr 9h-15h30

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture:****CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:**CLP Regulation (EC) No 1272/2008:****Warning****Hazard statements:**

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P261: Avoid breathing dust

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

Contains Linalool, Linalyl acetate.

Substances that contribute to the classification

4-tert-butylcyclohexyl acetate; Hexyl cinnam-aldehyde; Citronellol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one

UFI: SC60-K0MG-K005-SXUX

- CONTINUED ON NEXT PAGE -



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 2: HAZARDS IDENTIFICATION (continued)**2.3 Other hazards:**

Product does not meet PBT/vPvB criteria
 Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ****3.1 Substance:**

Non-applicable

3.2 Mixture:**Chemical description:** Mixture of substances**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		Concentration
CAS: 1222-05-5 EC: 214-946-9 Index: 603-212-00-7 REACH: 01-2119488227-29-XXXX	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran⁽¹⁾ Regulation 1272/2008	ATP ATP01 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	5 - <10 %
CAS: 32210-23-4 EC: 250-954-9 Index: Non-applicable REACH: 01-2119976286-24-XXXX	4-tert-butylcyclohexyl acetate⁽¹⁾ Regulation 1272/2008	Self-classified Skin Sens. 1B: H317 - Warning	2,5 - <5 %
CAS: 101-86-0 EC: 202-983-3 Index: Non-applicable REACH: Non-applicable	Hexyl cinnam-aldehyde⁽¹⁾ Regulation 1272/2008	Self-classified Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	1 - <2,5 %
CAS: 60-12-8 EC: 200-456-2 Index: Non-applicable REACH: 01-2119963921-31-XXXX	2-phenylethanol⁽¹⁾ Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning	1 - <2,5 %
CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23-XXXX	Citronello⁽¹⁾ Regulation 1272/2008	Self-classified Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2,5 %
CAS: 127-41-3 EC: 204-841-6 Index: Non-applicable REACH: 01-2120138061-71-XXXX	4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one⁽¹⁾ Regulation 1272/2008	Self-classified Aquatic Chronic 3: H412	1 - <2,5 %
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one⁽¹⁾ Regulation 1272/2008	Self-classified Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2,5 %
CAS: 140-11-4 EC: 205-399-7 Index: Non-applicable REACH: 01-2119638272-42-XXXX	Benzyl acetate⁽¹⁾ Regulation 1272/2008	Self-classified Aquatic Chronic 3: H412	1 - <2,5 %
CAS: 18479-58-8 EC: 242-362-4 Index: Non-applicable REACH: 01-2119457274-37-XXXX	2,6-dimethyloct-7-en-2-ol⁽²⁾ Regulation 1272/2008	Self-classified Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H336 - Warning	<1 %
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19-XXXX	Linalyl acetate⁽¹⁾ Regulation 1272/2008	Self-classified Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 2/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Chemical name/Classification		Concentration
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH: 01-2119976371-33-XXXX	Benzyl benzoate⁽¹⁾	Self-classified	<1 %
	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool⁽¹⁾	Self-classified	<1 %
	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 121-32-4 EC: 204-464-7 Index: Non-applicable REACH: 01-2119958961-24-XXXX	3-ethoxy-4-hydroxybenzaldehyde⁽²⁾	Self-classified	<1 %
	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	LD50 oral	1610 mg/kg	Rat
	LD50 dermal	Not relevant	
	LC50 inhalation	Not relevant	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LD50 oral	1500 mg/kg	Rat
	LD50 dermal	Not relevant	
	LC50 inhalation	Not relevant	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 3/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 4/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 7: HANDLING AND STORAGE (continued)

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m³ // Respirable dust 4 mg/m³

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	36,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	13,5 mg/m ³	Not relevant
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	21,2 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	59,9 mg/m ³	Not relevant
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	327,4 mg/kg	Not relevant
	Inhalation	Not relevant	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 EC: 204-841-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,28 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,987 mg/m ³	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	9 mg/m ³	Not relevant
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	20,8 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	73,5 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,6 mg/kg	Not relevant
	Inhalation	102 mg/m ³	Not relevant	5,1 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 5/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	7 mg/kg	Not relevant
	Inhalation	98 mg/m ³	Not relevant	49 mg/m ³	Not relevant

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	Oral	Not relevant	Not relevant	2,3 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	22 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4 mg/m ³	Not relevant
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Oral	5,1 mg/kg	Not relevant	5,1 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	12,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	17,7 mg/m ³	Not relevant
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Not relevant	Not relevant	13,8 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	196,4 mg/kg	Not relevant
	Inhalation	Not relevant	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 EC: 204-841-6	Oral	Not relevant	Not relevant	0,1 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,174 mg/m ³	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Oral	Not relevant	Not relevant	1,3 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,2 mg/m ³	Not relevant
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	Oral	Not relevant	Not relevant	12,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	12,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	21,7 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,68 mg/m ³	Not relevant
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	78 mg/kg	Not relevant	0,4 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant
	Inhalation	25 mg/m ³	Not relevant	1,25 mg/m ³	Not relevant
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	Oral	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	17,5 mg/m ³	Not relevant	8,75 mg/m ³	Not relevant

PNEC:

Identification				
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	STP	1 mg/L	Fresh water	0,0068 mg/L
	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 6/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	STP	12,2 mg/L	Fresh water	0,0053 mg/L
	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	0,06667 g/kg	Sediment (Marine water)	0,21 mg/kg
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	STP	10 mg/L	Fresh water	0,215 mg/L
	Soil	0,164 mg/kg	Marine water	0,021 mg/L
	Intermittent	2,15 mg/L	Sediment (Fresh water)	1,454 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,145 mg/kg
Citronellol CAS: 106-22-9 EC: 203-375-0	STP	580 mg/L	Fresh water	0,002 mg/L
	Soil	0,004 mg/kg	Marine water	0 mg/L
	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,003 mg/kg
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 EC: 204-841-6	STP	13,1 mg/L	Fresh water	0,0034 mg/L
	Soil	0,195 mg/kg	Marine water	0,00034 mg/L
	Intermittent	0,0138 mg/L	Sediment (Fresh water)	0,984 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,0984 mg/kg
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	STP	8,55 mg/L	Fresh water	0,018 mg/L
	Soil	0,094 mg/kg	Marine water	0,002 mg/L
	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,526 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,053 mg/kg
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	STP	10 mg/L	Fresh water	0,0278 mg/L
	Soil	0,103 mg/kg	Marine water	0,00278 mg/L
	Intermittent	0,278 mg/L	Sediment (Fresh water)	0,594 mg/kg
	Oral	0,111 g/kg	Sediment (Marine water)	0,059 mg/kg
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	STP	1 mg/L	Fresh water	0,011 mg/L
	Soil	0,115 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,061 mg/kg
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	STP	100 mg/L	Fresh water	0,017 mg/L
	Soil	2,12 mg/kg	Marine water	0,002 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	10,66 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,07 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	STP	10 mg/L	Fresh water	0,118 mg/L
	Soil	2,923 mg/kg	Marine water	0,012 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	15 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,5 mg/kg

8.2 Exposure controls:**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

- CONTINUED ON NEXT PAGE -

Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower



Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024



Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Chemical protective gloves (Material: Butyl, Breakthrough time: 240 - 480 min, Thickness: 0.38 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	2,5 % weight
V.O.C. density at 20 °C:	23,42 kg/m ³ (23,42 g/L)
Average carbon number:	9,56
Average molecular weight:	153,26 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Appearance:	Not available
Colour:	■ Blue
Odour:	Pleasant
Odour threshold:	Not relevant *
Volatility:	
Boiling point at atmospheric pressure:	Not relevant *
Vapour pressure at 20 °C:	Not relevant *
Vapour pressure at 50 °C:	Not relevant *
Evaporation rate at 20 °C:	Not relevant *
Product description:	
Density at 20 °C:	936,8 kg/m ³
Relative density at 20 °C:	0,937
Dynamic viscosity at 20 °C:	Not relevant *
Kinematic viscosity at 20 °C:	Not relevant *
Kinematic viscosity at 40 °C:	Not relevant *
Concentration:	Not relevant *
pH:	Not relevant *
Vapour density at 20 °C:	Not relevant *
Partition coefficient n-octanol/water 20 °C:	Not relevant *
Solubility in water at 20 °C:	Not relevant *
Solubility properties:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *
Flammability:	
Flash Point:	Non-applicable
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	235 °C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *
Explosive (Solid):	
Lower explosive limit:	Not relevant *
Upper explosive limit:	Not relevant *
Particle characteristics:	
Median equivalent diameter:	Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Not relevant *
Oxidising properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components:	Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 9/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**Other safety characteristics:**

Surface tension at 20 °C: Not relevant *

Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 10/17

Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Benzyl acetate (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	LD50 oral	3100 mg/kg	Rat
	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation		
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	LD50 oral	1610 mg/kg (ATEi)	Rat
	LD50 dermal	2100 mg/kg	Rabbit
	LC50 inhalation		
Citronellol CAS: 106-22-9 EC: 203-375-0	LD50 oral	3450 mg/kg	Rat
	LD50 dermal	2650 mg/kg	
	LC50 inhalation		
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	LD50 oral	3370 mg/kg	
	LD50 dermal		
	LC50 inhalation		
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	LD50 oral	2490 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	LD50 oral	3600 mg/kg	
	LD50 dermal		
	LC50 inhalation		
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation		

- CONTINUED ON NEXT PAGE -



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	1500 mg/kg	4000 mg/kg	Rat
			Rabbit
Linalool CAS: 78-70-6 EC: 201-134-4	3000 mg/kg	5610 mg/kg	Rat
			Rabbit
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	3000 mg/kg		Rat

11.2 Information on other hazards:**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

12.1 Toxicity:**Acute toxicity:**

Identification	Concentration		Species	Genus
	LC50	EC50		
1,3,4,6,7,8-hexahydro-4,6,7,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	0,95 mg/L (96 h)		Oryzias latipes	Fish
	0,194 mg/L (48 h)		Daphnia magna	Crustacean
	0,723 mg/L (72 h)		Pseudokirchneriella subcapitata	Algae
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	>0.1 - 1 mg/L (96 h)			Fish
	>0.1 - 1 mg/L (48 h)			Crustacean
	>0.1 - 1 mg/L (72 h)			Algae
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Not relevant			
	330 mg/L (24 h)		Daphnia magna	Crustacean
	490 mg/L (72 h)		Scenedesmus subspicatus	Algae
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one CAS: 127-41-3 EC: 204-841-6	>10 - 100 mg/L (96 h)			Fish
	>10 - 100 mg/L (48 h)			Crustacean
	>10 - 100 mg/L (72 h)			Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 EC: 259-174-3	>0.1 - 1 mg/L (96 h)			Fish
	>0.1 - 1 mg/L (48 h)			Crustacean
	>0.1 - 1 mg/L (72 h)			Algae
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Not relevant			
	17 mg/L (48 h)		Daphnia magna	Crustacean
	110 mg/L (72 h)		Desmodesmus subspicatus	Algae
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	11 mg/L (96 h)		Cyprinus carpio	Fish
	15 mg/L (48 h)		Daphnia magna	Crustacean
	62 mg/L (72 h)		Desmodesmus subspicatus	Algae
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	2,32 mg/L (96 h)		Danio rerio	Fish
	3,1 mg/L (48 h)		Daphnia magna	Crustacean
	0,36 mg/L (72 h)		Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 12/17

Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration	Species	Genus	
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	NOEC	0,92 mg/L	Oryzias latipes	Fish
	NOEC	Not relevant		
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	NOEC	Not relevant		
	NOEC	9,5 mg/L	Daphnia magna	Crustacean
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	NOEC	Not relevant		
	NOEC	0,258 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability	Biodegradability
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Not relevant
	COD	Not relevant
	BOD5/COD	Not relevant

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	BCF	1584
	Pow Log	5.9
	Potential	Very High
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	BCF	17
	Pow Log	
	Potential	Low
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	BCF	6
	Pow Log	1.36
	Potential	Low
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	BCF	8
	Pow Log	1.96
	Potential	Low
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BCF	174
	Pow Log	3.9
	Potential	High
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BCF	193
	Pow Log	4
	Potential	High

- CONTINUED ON NEXT PAGE -



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
	Linalool CAS: 78-70-6 EC: 201-134-4	BCF
	Pow Log	2.97
	Potential	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
	2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Koc	Not relevant	Henry
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,807E-2 N/m (25 °C)	Moist soil	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,558E-2 N/m (25 °C)	Moist soil	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Koc	518	Henry	177 Pa·m ³ /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Not relevant	Moist soil	Yes
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Koc	6310	Henry	Not relevant
	Conclusion	Immobile	Dry soil	Not relevant
	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Not relevant
3-ethoxy-4-hydroxybenzaldehyde CAS: 121-32-4 EC: 204-464-7	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	1,87E-2 N/m (276,18 °C)	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 14/17

Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 14: TRANSPORT INFORMATION (continued)

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)
- 14.3 Transport hazard class(es):** 9
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**
Special regulations: 274, 335, 375, 601
Tunnel restriction code: -
Physico-Chemical properties: see section 9
Limited quantities: 5 kg
- 14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)
- 14.3 Transport hazard class(es):** 9
Labels: 9
- 14.4 Packing group:** III
- 14.5 Marine pollutant:** Yes
- 14.6 Special precautions for user**
Special regulations: 335, 966, 274, 967, 969
EmS Codes: F-A, S-F
Physico-Chemical properties: see section 9
Limited quantities: 5 kg
Segregation group: Not relevant
- 14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:



- 14.1 UN number or ID number:** UN3077
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)
- 14.3 Transport hazard class(es):** 9
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**
Physico-Chemical properties: see section 9
- 14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

- CONTINUED ON NEXT PAGE -



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

- Removed substances
Ethylene-vinyl acetate copolymer (24937-78-8)

Texts of the legislative phrases mentioned in section 2:

H411: Toxic to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

- Acute Tox. 4: H302 - Harmful if swallowed.
- Aquatic Acute 1: H400 - Very toxic to aquatic life.
- Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
- Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
- Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
- Eye Irrit. 2: H319 - Causes serious eye irritation.
- Skin Irrit. 2: H315 - Causes skin irritation.
- Skin Sens. 1B: H317 - May cause an allergic skin reaction.
- STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Aquatic Chronic 2: Calculation method

Skin Sens. 1B: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

- CONTINUED ON NEXT PAGE -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 16/17



Ocean Mist - Blue
Urinal Screen: Double EDGE, Wave 1.0, Wave 2.0, Shield, Active
Air Freshener: Toilet Clip, Diamond, Tower

Printing: 11/09/2024

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2 (Replaced 1)

SECTION 16: OTHER INFORMATION (continued)**Principal bibliographical sources:**<http://echa.europa.eu><http://eur-lex.europa.eu>**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Printing: 11/09/2024
(Replaced 1)

Date of compilation: 17/10/2023

Revised: 26/03/2024

Version: 2

Page 17/17